



RHODE ISLAND  
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

235 Promenade Street, Providence, RI 02908-5767 TDD 401-222-4462

July 3, 2008

NV One, LLC  
Nicholas E. Cambio, Manager  
207 Quaker Lane - Suite 300  
West Warwick, RI 02893

Re: Application No. 08-0046 in reference to the location below:

Approximately 250 feet north of Cowesett Avenue, Utility Pole Nos. 7 & 8, and approximately 165 feet west of the intersection of Cowesett Avenue and Church Street, Assessor's Plat 13, Lots 658 & 659, West Warwick, RI

Dear Mr. Cambio:

Kindly be advised that the Department of Environmental Management's ("DEM") Freshwater Wetlands Program ("Program") has completed its review of your **Request to verify the delineated edge of freshwater wetlands**. This review included an inspection of the above referenced property ("subject property") as described by the site plans submitted with your application and received on February 25, 2008.

Based upon the Program's observations and review, it is our determination that a freshwater wetland is present on or in close proximity to the subject property. The freshwater wetland is regulated by this Department and includes at least the following type:

- forested wetland

The DEM has completed an inspection and review of the wetland edge delineated by you on-site. It is our determination that those wetland edges delineated on-site are substantially accurate. Corrections and/or modifications to the delineated edge are required, however, which include the following:

- Relocation of Wetland flag WF A13 twenty (20) feet east.

This letter **does not** constitute an approval or permit for any proposed project on the subject property. Pursuant to Section 2-1-21(a) of the Freshwater Wetlands Act and the Rules and Regulations Governing the Administration and Enforcement of the Freshwater Wetlands Act (Rules) a permit is required from this Program prior to the commencement of any activity which impacts or alters freshwater wetlands


This Program assumes that the edges of freshwater wetlands, as flagged or marked on site, have been accurately surveyed and portrayed on site plans submitted in support of your application. This Program makes no guarantee or representation that such survey is accurate.

In addition, you should note that freshwater wetlands are present on this property which may be regulated under Section 404 of the Clean Water Act (Federal Water Pollution Control Act, as amended 33 U.S.C. 1344). Accordingly, a permit may be required from the U.S. Army Corps of Engineers for alteration of these wetland areas.

In accordance with Rule 8.03(H) of the Rules, this verification of the delineated edge of freshwater wetlands is valid for a limited period of four (4) years from the date of issue.

Please contact Andrew Charpentier of this Office telephone: (401-222-6820, ext.7414) should you have any questions regarding this letter.

Sincerely,



Charles A. Horbert, Permitting Supervisor  
Office of Water Resources  
Freshwater Wetlands Program  
CAH/AC/ac

cc: John P. Caito, P.E., John P. Caito Corporation  
Joe McCue, Natural Resource Services, Inc.  
Stephen Tyrrell, Office of Compliance & Inspection (x-ref file C00-0516)