

- NOTES:**
- 1) WETLAND DELINEATION PERFORMED BY NATURAL RESOURCE SERVICES, INC. IN JUNE 2010.
  - 2) OWTS CONSTRUCTION WAS PERFORMED UNDER RI DEM FILE #9518-3255 (REPAIR) AND WAS 90% COMPLETED UNTIL PERMIT EXPIRATION.
  - 3) THE NEW ADDITION WAS COMMENCED BY OWNER, THUS REQUIRING AN ALTERATION PERMIT.
  - 4) NO NEW BEDROOMS ARE PROPOSED. NEW CONFIGURATION WILL HAVE 2 BEDROOMS. A DEED RESTRICTION WILL BE FILED IN THE LITTLE COMPTON LAND EVIDENCE RECORDS PRIOR TO COMPLETION OF THE OWTS.
  - 5) EXISTING TRAILER TO BE REMOVED UPON COMPLETION OF THE ADDITION.
  - 6) HAYBALES TO BE MAINTAINED AND REPLACED AS NEEDED IN ACTIVE AREAS.
  - 7) ALL DISTURBED AREAS SHALL BE LOAMED AND SEEDDED.
  - 8) NO FUELING OF VEHICLES ALLOWED WITHIN 50' OF ANY WETLANDS.

- LEGEND**
- 100' --- EXISTING CONTOUR
  - UTILITY POLE
  - - - - - APPROXIMATE PROPERTY LINE
  - ▲ WETLAND FLAG
  - ▲ 8" PVC CULVERT
  - 50' PERIMETER WETLAND
  - - - - - APPROXIMATE REMAINS OF HAYBALES EROSION CONTROL = LIMITS OF DISTURBANCE (TO BE REPLACED)
  - 100' TOWN OWTS & BUILDING WETLAND SETBACK
  - PROPOSED HAYBALES OR SILT FENCE EROSION CONTROL = LIMITS OF DISTURBANCE

Kindly be advised that this Permit is not equivalent to a verification of the type or extent of freshwater wetlands on site.

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF WATER RESOURCES  
FRESHWATER WETLANDS PROGRAM  
APPROVED WITH CONDITIONS  
AS SPECIFIED IN THE LETTER OF APPROVAL  
DATED AUG 17 2010 FILE # 10-2141  
NO CHANGES ALLOWED WITHOUT PRIOR APPROVAL  
APPROVED PLANS MUST BE AT CONSTRUCTION SITE.


BENCHMARK =  
PK NAIL =  
ELEVATION 100.00  
(ASSUMED)

EXISTING 1500 GALLON PROCESSING TANK WITH OSI PUMP VALVE. AN ADVANTEK AX-20 MEDIA FILTER WITH VENT TO BE INSTALLED IN A TIMBER ENCLOSURE ON TOP OF TANK

PROPOSED HAYBALES OR SILT FENCE EROSION CONTROL = LIMITS OF DISTURBANCE (RI STANDARD 9.1.0 OR 9.2.0)

PROPOSED CONSTRUCTION ENTRANCE IN ACCORDANCE WITH RI STANDARD DETAIL 9.9.0 OVER GRAVEL DRIVEWAY

PROPOSED HAYBALES OR SILT FENCE EROSION CONTROL = LIMITS OF DISTURBANCE (RI STANDARD 9.1.0 OR 9.2.0)



FRESHWATER WETLANDS APPLICATION PLAN  
PREPARED FOR  
**JAMES O'CONNOR**  
ASSESSOR'S PLAT 45 LOT 17  
214 JOHN DYER ROAD  
LITTLE COMPTON, RHODE ISLAND

SCALE: 1" = 30' DATE: JUNE 17, 2010

**Civil Engineering Concepts, Inc.**  
34A MAIN STREET  
LITTLE COMPTON, RI 02837  
PH: (401) 592-0177  
FAX: (401) 592-0178

P.O. BOX 5323  
NEW BEDFORD, MA. 02742  
(508) 990-4900

SHEET 1 OF 1

