



RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF WATER RESOURCES
235 Promenade Street
Providence, Rhode Island 02908

October 28, 2020

Tricia Foley
11867 Pebblewood Drive
Wellington, FL 33414

Re: Wetlands Application No. 20-0177 in reference to the property and proposed project located:

Approximately 750 feet west of Mohegan Trail, and approximately 1,600 feet south of its intersection with Spring Street, Assessor's Plat 8, Lot 139, New Shoreham, RI

Dear Ms. Foley:

Kindly be advised that the Department of Environmental Management's ("DEM") Freshwater Wetlands Program, ("Program") has completed its review of your proposed 2-car garage with 1-bedroom addition, decks, new septic tank to connect to existing septic system, and associated landscaping as illustrated and detailed on site plans submitted with your application. The site plans referenced by this letter and on file with this Program were received on August 24, 2020.

Our review reveals that freshwater wetlands regulated by the DEM are present on or in close proximity to the subject property. Review of your proposed project, however, reveals that this project does not represent an alteration to these freshwater wetlands. It is our determination therefore that a permit for this project pursuant to the Freshwater Wetland Act (R.I. Gen. Laws § 2-1-18 *et seq.*) or the Rules and Regulations Governing the Administration and Enforcement of the Freshwater Wetlands Act, 250-RICR-150-15-1, is not required. This Determination is **specific to the proposed site alterations illustrated and detailed on site plans on file with this Program** and is further predicated on the following:

1. Adequate measures are employed during and after site alterations to control soil erosion and to prevent any sediment from such erosion being deposited in any freshwater wetlands. You should consult the Rhode Island Soil Erosion and Sediment Control Handbook for appropriate methods to control erosion and prevent sediment from leaving your project site.
2. This determination does not authorize you to modify your project in such a way as to result in the following:
 - a. An increase in the rate and/or volume of surface water runoff flowing into, or draining or diverting from these wetlands; or
 - b. A diversion of groundwater into or away from these wetlands; or
 - c. A modification to the quality of water reaching these wetlands, which could change their natural character.

Unauthorized clearing of wetland vegetation within the northwest property corner must cease. All wetland vegetation must be allowed to revert to a natural condition free from mowing, trimming or any landscaping activities.


Please note that this Determination is specific to this proposed project as illustrated on the reviewed site plans, is valid for five (5) years from the date of this letter, and does not remove your obligation to obtain any local, state or federal approvals or permits required by ordinance or law.

Kindly be advised that this determination is not equivalent to a determination of the type or extent of freshwater wetlands on the subject property. Should you wish to obtain such verification, you may submit an application in accordance with 250-RICR-150-15-1.

Any modification to your project that would result in an alteration to freshwater wetlands, or allowing your project to result in an alteration to freshwater wetlands, requires a permit from this Program. Unauthorized alterations to freshwater wetlands are subject to enforcement action.

Please contact Andrew Charpentier of this Office (telephone: 401-222-4700, ext. 7414) should you have any questions.

Sincerely,



Andrew Charpentier, Senior Environmental Scientist
Freshwater Wetlands Program
Office of Water Resources
AC/AC/ac

Enclosure: Reviewed Site Plan

cc: Kenneth R. Cole, Jr., Ninigret Environmental
Marcus Channell, Atlas Land Surveying, LLC