



RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF WATER RESOURCES
235 Promenade Street
Providence, Rhode Island 02908

CERTIFIED MAIL

April 16, 2025

Bruce Barnes
27 Barnes Way
Chepachet, RI 02814

Peter Guilbult
70 Jackson Schoolhouse Road
Chepachet, RI 02814

PERMIT TO ALTER FRESHWATER WETLANDS

RE: Wetlands Application No. 22-0318 and RIPDES No. RIR102419 in reference to the location below:

Approximately 500 feet west of Jackson School House Road near Utility Pole Number 4, and approximately 1,000 feet northwest of its intersection with Putnam Pike (Route 44) (subdivision lots 1 and 2), and approximately 450 feet north of Putnam Pike, and approximately 900 feet west of its intersection with Jackson Schoolhouse Road, near Utility Pole Number 457 (subdivision lot 3), Assessor's Plat 7, Lots 24 and 132, Glocester, RI.

Dear Mr. Barnes and Mr. Guilbult:

The Department of Environmental Management's ("DEM") Freshwater Wetlands Program ("Program") has completed its review of your **Application to Alter a Freshwater Wetland** regarding the proposed construction of three 4-bedroom dwellings with associated garages, gravel driveways with crushed stone diaphragms, private wells, onsite wastewater treatment systems (OWTS), underground electrical utility connections, retaining walls, stormwater mitigation systems, screen plantings, and landscaped yards as described and detailed in the material and information submitted in support of your application and on site plans received by the DEM on July 18, 2024. These site plans describing the project were made available for public comment as part of the forty-five (45) day public notice period required in accordance with the Freshwater Wetlands Act (R.I. Gen. Laws § 2-1-18 *et seq.*) and the procedures set forth in the Rules and Regulations Governing the Administration and Enforcement of the Freshwater Wetlands Act, 250-RICR-150-15-1, specifically in 250-RICR-150-15-1.10.

The Program did not receive any written comments relating to this application during the public notice period.

Pursuant to the Program's review and evaluation of your application including all supporting information and material, as well as the record to date, the Program has determined that this project does not represent a random, unnecessary, or undesirable alteration of freshwater wetlands. Therefore, this Program hereby issues this permit to alter freshwater wetlands **subject to all controlling Rules and the Terms and Conditions set forth herein.**

Terms and Conditions for Wetlands Application No. 22-0318; RIPDES No. RIR102419:

1. This letter is the DEM's permit for this project under the R.I. Fresh Water Wetlands Act, R.I. Gen. Laws § 2-1-18 et seq.
2. This determination also includes your final authorization to discharge storm water associated with construction activity under the **2020 RIDPES General Permit for Stormwater Discharge During Construction Activity ("CGP")**. For future references and inquiry, your permit authorization number is RIPDES No. **RIR102419**. This RIPDES CGP permit is not transferable to any person except after written notice to the Director, in the form of a Permit Transfer Form available on the RIDEM Stormwater Construction Permitting website.
3. This permit is specifically limited to the project, site alterations and limits of disturbance as detailed on the site plans submitted with your application and received by the DEM on July 18, 2024. A copy of the site plans stamped approved by the DEM is enclosed with the Bruce Barnes copy of this permit. Changes or revisions to the project that would alter freshwater wetlands are not authorized without a permit from the DEM.
4. Where the terms and conditions of the permit conflict with the approved site plans, these terms and conditions shall be deemed to supersede the site plans.
5. You must notify this Program in writing of the anticipated start date, and of your contractor's contact information, by submitting the Notice of Start of Construction Form prior to commencement of any permitted site alterations or construction activity. You must also notify this Program in writing upon completion of the project, including submittal of the Notice of Termination Form. The Start of Construction Form and the Notice of Termination can be found on the webpage: dem.ri.gov/stormwaterconstruction
6. A copy of the stamped approved site plans and a copy of this permit must be kept at the site at all times during site preparation, construction, and final stabilization. Copies of this permit and the stamped approved plans must be made available for review by any DEM or Town representative upon request.
7. Within ten (10) days of the receipt of this permit, one original copy of this permit must be recorded in the land evidence records of the Town of Glocester and this Program must be supplied with written documentation obtained from the Town showing this permit was recorded.
8. The effective date of this permit is the date this letter was issued. This permit expires one (1) year from the date of this letter unless renewed pursuant to 250-RICR-150-15-1.10(G)(6).
9. Any material utilized in this project must be clean and free of matter that could pollute any freshwater wetland.
10. Prior to commencement of site alterations, you shall erect or post a sign resistant to the weather and at least twelve (12) inches wide and eighteen (18) inches long, which boldly identifies the initials "DEM" and the application number of this permit. This sign must be maintained at the site in a conspicuous location until such time that the project is complete, and the Program issues a Notice of Completion of Work.

11. Both the owner and the contractor retained to undertake the construction activity are required to comply with all terms and conditions of the CGP. This includes maintaining the Soil Erosion and Sediment Control (SESC) Plan, performing the required inspections and maintenance of the selected Best Management Practices (BMPs), and retaining inspection records. Further information on the requirements of the CGP is available at:
<http://www.dem.ri.gov/programs/benviron/water/permits/ripdes/pdfs/cgp092620.pdf>.
12. Temporary erosion and sediment controls detailed or described on the approved site plans shall be properly installed at the site prior to or commensurate with site alterations. Such controls shall be properly maintained, replaced, supplemented, or modified as necessary throughout the life of this project to minimize soil erosion and to prevent sediment from being deposited in any wetlands not subject to disturbance under this permit.
13. Upon permanent stabilization of all disturbed soils, temporary erosion and/or sediment controls must be removed.
14. You are responsible for the proper installation, operation, maintenance, and stability of any mitigative features, stormwater treatment facilities, and systems of treatment and control that are installed or used in compliance with this permit to prevent harm to adjacent wetlands until documentation is provided that this responsibility has been assigned to another entity. The long-term "Operation and Maintenance Plan" (O & M Plan) shall be strictly followed. The long-term O & M Plan shall be that entitled "**Long Term Operations & Maintenance Plan For Barnes Subdivision Assessor's Plat 7, Lot 24 Jackson Schoolhouse Road Glocester, Rhode Island**", dated April 2024 and received by this Program on July 18, 2024.
15. You are obligated to install, utilize, maintain, and follow all best management practices detailed or described on the approved site plans in the construction of the project to minimize or prevent adverse impacts to any adjacent freshwater wetlands and the functions and values provided by such wetlands.
16. All plantings of shrubs, trees or other forms of vegetation as shown or detailed on the approved plans, or detailed in this permit, must be installed as soon as possible after completion of final grading; weather and season permitting. You must notify this Program in writing upon completion of the required plantings for a compliance inspection by a Program representative.
17. Buffer zone plantings of trees and/or shrubs proposed between the project and any adjacent freshwater wetland areas, except for necessary replacement, must be allowed to develop naturally without being subjected to mowing or manicuring.
18. Any plantings which fail to survive one full growing season shall be replaced. Replacement plantings shall be similarly guaranteed for one full growing season.
19. Artificial lighting must be directed away from all vegetated wetland areas. Where this is not possible, the use of deflectors to concentrate lighting away from vegetated wetlands must be employed.
20. You must provide written certification from a registered land surveyor or registered professional engineer that the stormwater drainage system including any and all basins, piping systems, catch basins, culverts, swales and any other stormwater management control features have been

constructed/installed in accordance with the site plans approved by this permit. This written certification must be submitted to this Program within twenty (20) days of its request or upon completion of the project.

21. If at any time during this project there is evidence of a "Recognized Environmental Concern" as defined in ASTM E-1527-13, soils must be sampled to determine if they exceed the soil objectives outlined in 250-RICR-140-30-1, "*Rules and Regulations for the Investigation and Remediation of Hazardous Material Releases*", Rule 1.6.1(c) effective 1-8-19, ("Remediation Regulations"). If the soil sampling exceeds Table 1 or Table 2 in Rule 1.9.2 of the Remediation Regulations, the RIDEM Office of Water Resources (OWR) and Office of Land Revitalization and Sustainable Materials Management (OLRSMM) must be notified.
22. Prior to commencement of any site alterations, permanent buffer zone markers must be installed along the limit of disturbance at the locations indicated on the approved site plans, in order to provide permanent reference points on site that are clear to present and future property owners. Acceptable permanent type markers include 4" x 4" pressure treated timber posts, galvanized fence posts with cap, or granite or concrete bounds. Markers must extend a minimum 24" above grade. A permanent-type tag or sign labeled "RIDEM Buffer Zone" must be placed on each marker. A permanent-type fence at least 24" tall placed along the limits of disturbance and similarly labeled may be substituted where desired. No alterations of any kind are permitted beyond these markers without first obtaining the necessary permit from this Program.
23. Immediately upon installation of the buffer zone markers, this Program must be contacted to arrange an on-site inspection. Once proper installation has been confirmed by this Program, work may be initiated on the project as herein approved.

Pursuant to the provisions in 250-RICR-150-15-1.7(A)(9) and 250-RICR-150-15-1.11(D), as applicable, any properly recorded and valid permit is automatically transferred to the new owner upon sale of the property. Pursuant to the provisions in 250-RICR-150-15-1.7(A)(9)(c), within ten (10) days of any property transfer, the subsequent transferee must notify the Department by forwarding a certified copy of the deed of transfer.

Please be aware that the RIDEM's Rules and Regulations Governing the Establishment of Various Fees (250-RICR-30-00-1) require that RIPDES CGP permit holders to pay an Annual Fee of \$100.00. An invoice will be sent to the owner on record in May/June of each year if the construction was still active as of December 31st of the previous year. The owner will be responsible for the Annual Fee until the construction activity has been completed, the site has been properly stabilized, and a completed Notice of Termination (NOT) has been received by the RIPDES Program.

You are required to comply with the terms and conditions of this permit and to carry out this project in compliance with the Rules at all times. Failure to do so may result in an enforcement action against you by the DEM.

In permitting the proposed alterations, the Department assumes no responsibility for damages resulting from faulty design or construction. This permit does not remove your obligation to obtain any local, state, or federal approvals or permits required by ordinance or law and does not relieve you from any duties owed to adjacent landowners with specific reference to any changes in drainage.

If you are aggrieved by this decision, you may, within thirty (30) days of the receipt of this letter, request an adjudicatory hearing in writing. This request must be sent directly to the DEM Administrative Adjudication Division ("AAD"), 235 Promenade Street, Suite 350, Providence, RI 02908. A copy of the

request should also be forwarded to this Program and to the Office of Legal Services, at the same address. Your written request for an adjudicatory hearing must be timely filed and should conform to the requirements of 250-RICR-10-10-1.7(B) of the DEM Rules and Regulations for the Administrative Adjudication Division, 250-RICR-10-00-1. Section 250-RICR-10-00-1.7(B) provides:

"The request for a hearing shall state clearly and concisely the specific issues which are in dispute, and the facts in support thereof, the relief sought, if any, the license or permit sought or involved, and any additional information required by applicable statutes and regulations."

The written request must be accompanied by an adjudicatory hearing fee of two thousand dollars (\$2,000.00); in the form of a certified bank check or money order made payable to the Rhode Island General Treasurer; however, in the event that the cost of the hearing exceeds the fee paid, the Program through the AAD will require an additional fee which the applicant must submit prior to the DEM's issuance of any final decision regarding this application. The adjudicatory hearing will be held before a Hearing Officer from the AAD. Such hearing will be held in compliance with 250-RICR-10-00-1, R.I. Gen. Laws Chapter 42-35-1 et seq., and other governing laws, rules, and regulations adopted by the DEM. Please note that you have the right to be represented by legal counsel in any proceeding which may be held in this matter.

If you have any questions regarding this matter, you may contact me or Jessica Lord of my staff at this office (telephone: 401-537-4249).

Sincerely,



Martin D. Wencek, Environmental Scientist IV
Office of Water Resources
Freshwater Wetlands Program
MDW/JAL/jal

Enclosure: Approved Site Plans (to Bruce Barnes only)

ec:

Raymond Taylor, Supervising Engineer, DEM OWTS Program
Nick Pisani, DEM Stormwater Program
Elizabeth Waterhouse, U.S. Army Corps of Engineers, New England District
Dennis Begin, Town Gloucester Building Official
Steven Cabral, PE, Crossman Engineering