



RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF WATER RESOURCES
235 Promenade Street
Providence, Rhode Island 02908

July 19, 2023

Sean Flynn
123 High Ridge Road
Boxford, MA 01921

Re: Wetlands Application No. 22-0333 in reference to the property and proposed project located:

At 1320 Peckham Farm Road, approximately 850 feet southeast from the intersection of Peckham Farm Road and Cooneymus Road, Assessor's Plat 11, Lot 77, New Shoreham, RI.

Dear Mr. Flynn:

Kindly be advised that the Department of Environmental Management's ("DEM") Freshwater Wetlands Program, ("Program") has completed its review of your proposed 1-bedroom accessory structure, waterline to connect the accessory structure to an existing well, electrical connection, new onsite wastewater treatment system (OWTS) to connect to both the existing dwelling and the accessory structure, a drywell for stormwater management, grading, landscaping, screen plantings, and temporary erosion controls as illustrated and detailed on site plans submitted with your application. The site plans referenced by this letter and on file with this Program were received on July 14, 2023.

Our inspection reveals that freshwater wetlands regulated by the DEM are present on or in close proximity to the subject property. Review of your proposed project, however, reveals that this project does not represent an alteration to these freshwater wetlands. It is our determination therefore that a permit for this project pursuant to the Freshwater Wetland Act (R.I. Gen. Laws § 2-1-18 *et seq.*) or the Rules and Regulations Governing the Administration and Enforcement of the Freshwater Wetlands Act, 250-RICR-150-15-1, is not required. This Determination is **specific to the proposed site alterations illustrated and detailed on site plans on file with this Program** and is further predicated on the following:

1. Adequate measures are employed during and after site alterations to control soil erosion and to prevent any sediment from such erosion being deposited in any freshwater wetlands. You should consult the Rhode Island Soil Erosion and Sediment Control Handbook for appropriate methods to control erosion and prevent sediment from leaving your project site.
2. This determination does not authorize you to modify your project in such a way as to result in the following:
 - a. An increase in the rate and/or volume of surface water runoff flowing into, or draining or diverting from these wetlands; or
 - b. A diversion of groundwater into or away from these wetlands; or
 - c. A modification to the quality of water reaching these wetlands, which could change their natural character.

3. This Program has made specific revisions to the approved site plans. These revisions include a revised limit of disturbance, which is clearly marked in red on the approved plans to enclose all work proposed and reviewed. This project must take place in compliance with these revisions.

Please note that this Determination is specific to this proposed project as illustrated on the reviewed site plans, is valid for four (4) years from the date of this letter and does not remove your obligation to obtain any local, state, or federal approvals or permits required by ordinance or law.


Kindly be advised that this determination is not equivalent to a determination of the type or extent of freshwater wetlands on the subject property. Should you wish to obtain such verification, you may submit an application in accordance with 250-RICR-150-15-1.

Any modification to your project that would result in an alteration to freshwater wetlands or allowing your project to result in an alteration to freshwater wetlands, requires a permit from this Program. Unauthorized alterations to freshwater wetlands are subject to enforcement action.

Enclosed please find one (1) copy of your site plans stamped REVIEWED by this Program.

Please contact Sophie Clode of this Office (telephone: 401-222-6820, ext. 2777419) should you have any questions.

Sincerely,



Nancy L. Freeman, Principal Environmental Scientist
Freshwater Wetlands Program
Office of Water Resources

NLF/SC/sc

Enclosure: Reviewed Site Plan

c: James T. Calderone, PLS, South County Survey
Edward Avizinis, President, Avizinis Environmental Services, Inc.