


LEGEND

EXISTING FOOT PATH	---
EXISTING CONTOUR	---250---
EXISTING UNDERGROUND ELECTRIC LINE	---UW---
PROPOSED ELECTRIC LINE	---UGE---
EXISTING WATER LINE	---W---
PROPOSED WATER LINE	---W---
EXISTING WATER GATE	○ WG
EXISTING HYDRANT	○ HS
EXISTING WATER SERVICE	● WS
EXISTING LIGHT POLE	☆ LP
WETLAND BUFFER LIMIT	--- ---
RIDEM JURISDICTIONAL LIMIT	--- ---
20' PRIMARY STRUCTURE SETBACK	--- ---
PROPOSED SILT FENCE & LIMIT OF DISTURBANCE	--- ---
PROPOSED PLANTS	○ ○





R.I. DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF WATER RESOURCES
FRESHWATER WETLANDS PROGRAM
APPROVED WITH CONDITIONS AS SPECIFIED IN THE LETTER OF APPROVAL
DATED: APR 18 2025 FILE # 24-0165
NO CHANGE ALLOWED WITHOUT PRIOR APPROVAL
APPROVED FOR CONSTRUCTION SITE

Nancy L. Freeman

- WETLAND BUFFER RESTORATION NOTES**
- SLASH PILE TO BE REMOVED AND ALL MATERIAL RELOCATED OUTSIDE OF THE BUFFER ZONE
 - THE DISTURBED AREA CAUSED BY THE SLASH PILE AND THE PORTIONS OF THE PATH WITHIN THE BUFFER ZONE SHALL BE PLANTED WITH THE FOLLOWING SHRUBS:
HIGHBUSH BLUEBERRY (VACCINIUM CORYMBOSUM)
WINTERBERRY (ILEX VERTICILLATA)
PLANTS SHALL BE 3 FT. TALL AND SPACED AT 8 FT. ON CENTER

- SOIL EROSION AND SEDIMENT CONTROL NOTES**
- SILT FENCE SHALL BE INSTALLED PER RIDOT DETAIL 9.2.0. A MINIMUM OF 6" OF THE FILTER FABRIC SHALL BE BURIED IN THE GROUND.
 - ALL TEMPORARY EROSION PROTECTION SHALL BE INSPECTED AND REPAIRED AFTER STORM EVENTS AND SHALL REMAIN IN PLACE UNTIL AN ACCEPTABLE STAND OF GRASS OR APPROVED GROUND COVER IS ESTABLISHED.
 - STOCKPILES OF TOPSOIL SHALL NOT BE LOCATED NEAR ANY WATERWAYS. THEY SHALL HAVE SIDE SLOPES NO GREATER THAN 2:1 AND SHALL BE TEMPORARILY SEEDED OR STABILIZED.
 - THE CONSTRUCTION SUPERINTENDENT SHALL HAVE THE OVERALL RESPONSIBILITY FOR PLAN IMPLEMENTATION AND FOR SEEING THAT THE APPROPRIATE WORKERS ARE AWARE OF THE PROVISIONS OF THE PLAN. THE CONTRACTOR MUST REPAIR AND/OR RESEED ANY AREAS THAT DO NOT DEVELOP WITHIN A PERIOD OF SIX (6) MONTHS AND SHALL DO SO AT NO ADDITIONAL EXPENSE.
 - MAXIMUM GRADED SLOPE TO BE 3:1 UNLESS NOTED OTHERWISE ON THE PLANS.
 - REFERENCE THE "RHODE ISLAND EROSION AND SEDIMENTATION CONTROL HANDBOOK" PREPARED BY USDA SOIL CONSERVATION SERVICE AS A GUIDE.




CERTIFICATION

THIS SURVEY HAS BEEN CONDUCTED AND THE PLAN HAS BEEN PREPARED PURSUANT TO SECTION 435-RICR-00-00-1.9 OF THE RULES AND REGULATIONS ADOPTED BY THE RHODE ISLAND STATE BOARD OF REGISTRATION FOR PROFESSIONAL LAND SURVEYORS ON NOVEMBER 25, 2015 AS FOLLOWS:

TYPE OF BOUNDARY SURVEY: NOT A BOUNDARY SURVEY
MEASUREMENT SPECIFICATION: CLASS III
VERTICAL CONTROL STANDARD: V-3
TOPOGRAPHIC SURVEY ACCURACY: T-3

THE PURPOSE FOR THE CONDUCT OF THE SURVEY AND FOR THE PREPARATION OF THE PLAN IS AS FOLLOWS:
WETLAND RESTORATION PLAN

BY: *Patricia A. Kelly*
PATRICIA A. KELLY, PLS #1988 COA #A734 DATE: 03/11/25



NO.	REVISION	DATE	BY
1	ADDED SLASH PILE & PATH LOCATIONS ADDED RESTORATION NOTES & PLANTINGS	03/11/25	

WETLAND BUFFER RESTORATION PLAN

MARIA PARIS
REARDON WAY
SMITHFIELD, RI
A.P. 46 LOT 390
SUBDIVISION LOT 4

KELLY LAND SERVICES, INC.
kellylandservices@gmail.com
LAND SURVEYING - SUBDIVISIONS - SEPTIC DESIGNS - SOIL EVALUATIONS

PO BOX 278
GREENVILLE, RI 02828
401-232-2629
97 BUCKS WAY
TIVERTON, RI 02878
401-293-0535

DATE: 06/22/23
SCALE: 1"=30'
SHEET NO: 1 OF 1
PROJ. NO: 920802-WET25